

RECEIVED  
CENTRAL FAX CENTER  
DEC 07 2004

### **Listing of claims**

1. (original): An image display system comprising:  
a composite image source, a portion of the composite image source being  
a first image source, and another portion of the composite image source being  
a second image source;  
a beamcombiner;  
a single lens; and  
a reflective element disposed to reflect the image of said second image source to said  
beamcombiner;  
wherein said first image source, said second image source, said beamcombiner, and  
said single lens are so disposed as to present to a viewer a foreground image from one  
of said image sources, and a background image from the other of said image sources,  
the background image being presented at a greater distance from the viewer than the  
foreground image, at least one of the images being a real image or virtual image  
presented by the single lens;  
whereby the viewer perceives the foreground image and the background image as part  
of a scene having depth.

2. (original): An image display system as in claim 1, further comprising an  
optical element interposed between the beamcombiner and the viewer;  
wherein said optical element is adapted to modify the aspect ratio of said foreground  
image and said background image.

3. (original): An image display system comprising:  
a foreground image source;  
a background image source;  
a beamcombiner; and  
a mask interposed between said background image source and said beamcombiner;  
wherein said foreground image source, said background image source, and said  
beamcombiner are so disposed as to present to a viewer a foreground image from the  
foreground image source, and a background image from the background image source,

the background image being presented at a greater distance from the viewer than the foreground image;  
wherein said foreground image source and said mask are the same distance from said beamcombiner; and  
wherein said mask displays a silhouette of foreground objects that appear coincident with said foreground image source,  
whereby the viewer perceives the foreground image and the background image as part of a scene having depth, and  
whereby said mask acts to mask portions of the background image from the viewer so as to improve presentation of foreground objects.

4. (original): An image display system as in claim 3, wherein said mask is a light valve.

5. (original): An image display system comprising:  
a first image source;  
a second image source;  
a beamcombiner; and  
a single lens;  
wherein said first image source, said second image source, and said beamcombiner are so disposed as to present to a viewer a foreground image from one of said image sources, and a background image from the other of said image sources, the background image being presented at a greater distance from the viewer than the foreground image, and  
wherein said lens is interposed between said first image source and the viewer so as to present at least one of the foreground image and the background image as a real image,  
whereby the viewer perceives the foreground image and the background image as part of a scene having depth.

6. (original): An image display system consisting of an image source and a

single lens,  
wherein said lens is interposed between said image source and the viewer so as to  
present an image of the image source as a real image,  
whereby the viewer perceives the image as floating in space between said lens and the  
viewer.

7. (original) An image display system as in claim 6, wherein the lens is a  
Fresnel lens.

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**